



Department of Mathematical Sciences, Isfahan University of Technology Institute of System Analysis and Computer Science, "Antonio Ruberti" (IASI), CNR **IUT International Scientific Cooperation Center (ISCC)** Institute for Research in Fundamental Sciences (IPM)



- IUT\_International
- isfahan university of technology lin



- 031 33912600



Isfahan University of Technology Department of Mathematical Sciences

National Research Council(CNR), Italy Institute of System Analysis and Computer Science(IASI) "Antonio Ruberti"

> Autumn School and Workshop on Combinatorial Optimization (SCO<sup>2</sup>PT)

> > November 30- December 2,2021

https://english.iut.ac.ir/scopt2021

## Welcome Address

On behalf of **SCO<sup>2</sup>PT 2021** Organizing Committee, the Department of Mathematical Sciences, Isfahan University of Technology (IUT), Iran, and the Institute of System Analysis and Computer Science (IASI), "Antonio Ruberti", National Research Council(CNR), Italy, we welcome you to the Autumn School and Workshop on Combinatorial Optimization (SCO<sup>2</sup>PT 2021).

**SCO<sup>2</sup>PT 2021** is an event on combinatorial optimization covering theoretical, computational and practical aspects of the subject. With eight invited state-of-the-art lectures (in the school) and nine invited contributed talks (in the work-shop) on applications of combinatorial optimization in real world optimization problems; The audience of **SCO<sup>2</sup>PT 2021** aims to be widespread range of PhD students, researchers, as well as industry professionals.

Around **300** participants from all over Iran and abroad universities, will learn about recent developments and results and discuss challenges from theory and practice. This number indicates clearly the importance of Combinatorial Optimization as a scientific discipline and a key technology for future developments in numerous applied areas.

## **Department of Mathematical Sciences at IUT**

The Department of Mathematical Sciences was founded in 1976 as a part of the Faculty of Fundamental Sciences. It became an independent department in 1982, offering Bachelor degrees in Mathematical Sciences, and later running Master programs in Pure and Applied Mathematics in 1986 and 2000, respectively. The department has offered Master programs in Pure and Socio-economic Statistics since 1996 and 1998, respectively. The department is currently offering PhD degrees in various disciplines of Mathematical and Computer Sciences.

As of November 2020, the department has 36 faculty members including 4 full professors, 17 associate professors and 15 assistant professors. It also has 369 undergraduate students, 158 master students and 73 PhD students in different disciplines of Mathematics and Statistics. Up until the present time the department has conferred 2404 bachelor degrees, 1200 master degrees, and 118 PhD degrees in various mathematical disciplines.

Based on the database of American Mathematical Society (MathSciNet), July 2020, department has the most total recorded publications among all mathematics departments in Iran. Current mathematical research is represented in the department by the active research programs and interests of the faculty. The department has investigations in:

Algebra (Group Theory, Commutative and Noncommutative), Coding, Cryptography and Information Theory, Combinatorics and Graph Theory, Differential Equations (Ordinary and Partial), Dynamical Systems (Continuous and Discrete), Geometry (Algebraic, Computational, Differential and Finite), Analysis (Mathematical, Functional, Geometric, Harmonic, Stochastic), Mathematical Logic and Model Theory, Mathematical Education, Number Theory, Numerical Analysis, Operator Theory, Optimization, Probability, Statistics, Topology and Theoretical Computer Science (Algorithms and Computations) and Data Science.

#### Institute of System Analysis and Computer Science

IASI (the Institute for Systems Analysis and Computer Science) is one of the 108 institutes of CNR, the Italian National Research Council (Consiglio Nazionale delle Ricerche), which is the main Italian public research organization. It is named after its founder Antonio Ruberti and currently counts more than 30 researchers. IASI researchers develop methods and tools in different disciplines (Discrete Mathematics, Mathematical Optimization, Statistics, Formal Logic, Computer Science, Control Theory, Systems Science) and concretely apply new and existing tools to solve relevant problems in Biomedicine, Transportation, Enterprise Management, and Knowledge and Valorization of Cultural Heritage.

The OPTIMA research group investigates all phases of the solution process of mathematical problems, including analysis, modelling, structural properties, algorithmic approaches, computer code implementation and testing. Combinatorial and Polyhedral Optimization, Discrete Mathematics, Mixed-Integer Programming, Graph Theory, Approximation and Online Algorithms, Logic Programming, Machine Learning, Stochastic and Robust Optimization, Continuous Optimization, Global Optimization are the main methodological topics of research. OPTIMA researchers deal with a broad range of applications of optimization and discrete mathematics: Data Analysis, Network Analysis, Statistical Physics, Scheduling, Factory of the Future - Industry 4.0, Transportation and Logistics, Telecommunications and Network Traffic, Energy and Smart-Grids, Finance, Medicine and Social care. The group is currently active in many projects funded by the European Community, the Italian Government, other authorities, and private companies.

# Scientific Committee

- Ahmad Abdi (London School of Economics, United Kingdom)
- Claudio Gentilei (IASI, Italy)
- Maryam Salami (IUT, Iran)

# **Organizing Committee**

- Ramin Javadi (IUT, Iran)
- Meysam Miralaei (IPM, Iran)
- Majid Salamat (IUT, Iran)

## **Invited Speakers**

- Ahmad Abdi (London School of Economics, United Kingdom)
- Tiziano Bacci (IASI, Italy)
- Claudio Gentile (IASI, Italy)
- Nezam Mahdavi-Amiri (Sharif University of Technology, Iran)
- Ahmadreza Marandi (Eindhoven University of Technology, Netherlands)
- Hadi Mosadegh (Amirkabir University of Technology (Tehran Polytechnic), Iran)
- Mohammadmahdi Naghsh (IUT, Iran)
- Diego Maria Pinto (IASI, Italy)
- Maryam Salami (IUT, Iran)
- Esteban Salgado (IASI, Italy)
- Giuseppe Stecca (IASI, Italy)
- Paolo Ventura (IASI, Italy)

# Program

# Day 1:

Tuesday November 30		
Tehran Time	Speaker	Title of the talk
10:15-10:30	Opening Remarks	
10:30-11:45	Maryam Salami	Introduction to Combinatorial Optimization: Problems and Methods
11:45-12:00	Break	
12:00-13:00	Giuseppe Stecca	Green Supply Chain Management
13:00-14:00	Lunch	
14:00-15:00	Diego Maria Pinto	OR and ML applications for Green Supply Chain Management
15:00-15:30	Giuseppe Stecca	Negotiation based approach for collecting and recycling operations in circular economy
15:30-16:00	Break	
16:00-17:00	Mohammadmahdi Naghsh	Max-min optimizations in active sensing and communication systems

# Program

# Day 2:

Wednesday December 1		
Tehran Time	Speaker	Title of the talk
10:30-11:45	Claudio Gentile	Power Energy Production and Optimization (I)
11:45-12:00	Break	
12:00-13:00	Claudio Gentile	Power Energy Production and Optimization (II)
13:00-14:00	Lunch	
14:00-15:30	Ahmad Abdi	A polyhedral study of tractable set covering problems
15:30-16:00	Break	
16:00-17:00	Nezam Mahdavi-Amiri	A combined trust region–line search projected structured algorithm for solving constrained nonlinear least squares problems
17:00-17:30	Tiziano Bacci	Dynamic programming based formulations for power energy production
17:30-18:00	Esteban Salgado	New heuristics for ground state optimization of spin glasses

# Program

# Day 3:

Thursday		
December 2		
Tehran Time	Speaker	Title of the talk
10:30-11:45	Paolo Ventura	Exact and heuristic approaches to the
		logistics of containers (I)
11:45-12:00	Break	
12:00-13:00	Paolo Ventura	Exact and heuristic approaches to the
		logistics of containers (II)
13:00-14:00	Lunch	
14:00-14:30	Ahamdreza	Multi-stage adjustable robust
	Marandi	location-transportation problems with
		integer-valued demand
14:30-15:00	Tiziano Bacci	A new heuristic algorithm for the stochastic
		block relocation problem
15:00-15:30	Hadi Mosadegh	A heuristic algorithm for solving real-world
		car sequencing problems in assembly lines
15:30-16:00	Break	
16:00-17:30	Ahmad Abdi	Two case studies: postman sets in graphs,
		and dijoins in digraphs

Abstracts of the Talks (In Alphabetical Order)

#### A polyhedral study of tractable set covering problems

Ahmad Abdi

London School of Economics, United Kingdom

#### Two case studies: postman sets in graphs, and dijoins in digraphs

Thursday 16:00-17:30

Wednesday 14:00-15:30

Ahmad Abdi

London School of Economics, United Kingdom

An important fact at the intersection of Mathematical Optimization and Complexity Theory is that Integer (Linear) Programming is NP-hard while Linear Programming can be solved in polynomial time. Three of Karp's 21 NP-complete problems, VERTEX COVER, SET COVERING, and HITTING SET, can in fact be cast as an integer programming problem of the form  $\min\{\langle w, x \rangle : Ax \ge$  $1, x \ge 0, x = 0, 1$  matrix. These are known as set covering integer programs. For a special class of matrices, called ideal matrices, which root all the way back to Shannon's switching game, the Theory of Polyhedra allows one to reduce the set covering integer program to solving its linear relaxation, and therefore move into the complexity class P!

In the first lecture, we study ideal matrices from different perspectives, namely, polyhedral theory, network theory, and clutter theory, and present many open questions about them. In the second lecture, we focus on two special cases coming from undirected and directed graphs. In particular, we relate the Generalized Berge-Fulkerson Conjecture and Woodall's Conjecture to questions about ideal matrices.

#### Dynamic programming based formulations for power energy production

Tiziano Bacci IASI, Italy Wednesday 17:00-17:30

In the context of the electrical power production, the Unit Commitment problem consists into deciding whether each power generation unit has to produce energy or not and in which amount for each time period over a short time horizon. The objective is to satisfy a given energy demand at minimum cost while satisfying several constraints: minimum and maximum power output, minimum up- and down-time, start-up and shut-down limits, ramp-up and ramp-down limits. We present the first formulation describing the convex hull of the Unit Commitment problem with single unit and convex power generation costs having a polynomial number of variables and constraints. It is based on the efficient Dynamic Programming algorithm proposed in [Frangioni A. and Gentile C., Solving Nonlinear Single-Unit Commitment Problems with Ramping Constraints. Operations Research 54(4):767-775] together with the Perspective Reformulation technique proposed in [Frangioni A. and Gentile C., Perspective cuts for a class of convex 0–1 mixed integer programs. Math. Progr. 106(2):225-236.].

Since the new exact formulation is large and hard to solve, we propose other new formulations representing different trade-offs between the size and the quality of the bounds. Computational results show that navigating these trade-offs may lead to improved performances.

Based on a joint work with Antonio Frangioni and Claudio Gentile.

#### A new heuristic algorithm for the stochastic block relocation problem

Thursday 14:30-15:00

Tiziano Bacci IASI, Italy

We develop novel techniques which allow us to prove a diverse range of The traffic of containers has recorded a strong increase during the last few decades. For this reason the need to optimize the movements of containers and the vehicles inside the ports has actually been increased as well. One of the best known problems in the literature dealt with the logistics of containers is the Block Relocation Problem. It consists in emptying a storage area containing a group of containers piled into stacks with the minimum number of moves. In this problem, the retrieval order is known in advance. However, this hypothesis is usually unrealistic. In this sense, the stochastic container relocation problem defines a variant of the problem in which the retrieval order of the containers is not known at the beginning of the time horizon. Here we present a new heuristic approach for the stochastic case capable of providing solutions to large instances in a short time. Experiments conducted on instances taken from the literature demonstrate the effectiveness of the proposed method.

This talk is based on a joint work with Sara Mattia and Paolo Ventura.

#### Power Energy Production and Optimization (I)

Claudio Gentile IASI, Italy Wednesday 10:30-11:45

## Power Energy Production and Optimization (II)

Wednesday 12:00-13:00

Claudio Gentile IASI, Italy

In this lecture we revise two main approaches for the solution of the most studied operational planning problem in Power Energy Production: the Unit Commitment (UC) problem. UC is to schedule a number of power production units over a short time horizon (from one day to a week) with the aim to decide, for each unit, when and at what power level to produce satisfying system-wide constraints and technical constraints depending on the unit technology with the purpose to minimize the total production cost.

System-wide constraints include demand constraints, reserve constraints, and network constraints. Technical constraints describe the working features of each production unit. Thermal, hydro, solar, wind (and other) units are described by completely different contraints. In this lecture we will extensively deal with thermal units that have a complex combinatorial structure.

The first solution approach for UC is based on Lagrangian Relaxation and on Dynamic Programming (DP). Lagrangian Relaxation applied to system-wide constraints enables us to decompose UC into single-unit Unit Commitment (1UC) subproblems that can be solved by combinatorial approaches. For thermal units, (1UC) is usually solved by Dynamic Programming. We will revise the main variants of DP algorithms.

The second solution approach for UC is based on Mixed-Integer Non Linear Programming (MINLP) formulations. Indeed, production costs on thermal units is usually expressed as a convex quadratic function. The resulting type of MINLPs may be reformulated by Second Order Conic Quadratic Programming, Semi-infinite Mixed-Integer Linear Programming, and Mixed-Integer Quadratic Programming. Other sources of nonlinearities can also appear with other types of production units.

### A combined trust region–line search projected structured algorithm for solving constrained nonlinear least squares problems

Wednesday 16:00-17:00

Nezam Mahdavi Amiri Sharif University of Technology, Iran

Based on an adaptive projected structured exact penalty scheme due to Mahdavi-Amiri and Bartels, we present a combined trust region–line search projected structured algorithm for solving constrained nonlinear least squares problems; we make use of an adaptive penalty updating scheme, a combined trust region–line search strategy, and a special structured consideration for the approximate projected least squares Hessians. Several variants of the algorithm enjoy both the global and a local superlinear rate of convergence. A structured algorithms is implemented and the resulting program is tested on well-known small and large residual least squares test problems available in the literature along with a number of random test problems having various numerical properties due to Bartels and Mahdavi-Amiri. Numerical results confirm the robustness and efficiency of the algorithm. Outperformance of the algorithm is evidenced by the Dolan-More performance profiles of our numerical results in comparison with the ones obtained by a number of well-known general nonlinear programming methods.

### Multi-stage adjustable robust location-transportation problems with integer-valued demand

Thursday 14:00-14:30

Ahmadreza Marandi Eindhoven University of Technology, Netherlands

A Location-Transportation (LT) problem concerns designing a company's distribution network consisting of one central warehouse with ample stock and multiple local warehouses for a long but finite time horizon. The network is designed to satisfy the demands of geographically dispersed customers for multiple items within given delivery time targets. The company needs to first decide on the locations of local warehouses before the start of the time horizon. During the time horizon, the stocks at the local warehouses are repeatedly replenished and the company has to decide on how far the inventory levels are increased at those moments. Our problem is such that we can use time-independent basestock levels at all warehouses at those moments. Between any two replenishments, integer-valued demands are realized multiple times and the company needs to satisfy them by shipments from central or local warehouses to customers.

In this talk, we follow an Adjustable Robust Optimization approach for the design of the distribution network. We prove two main characteristics of our LT problems, namely convexity and nondecreasingness of the optimal shipment cost function. Using these characteristics, we show for two commonly used uncertainty sets (hyper-box and budget uncertainty sets) that the optimal decisions on the location and the basestock levels of local warehouses can be made by solving a polynomial number of deterministic problems. For a general uncertainty set, we propose a new method, called Simplex-type method, to find a locally robust solution. The numerical experiments show the superiority of our method over using the integer-valued affine decision rules, which is the only available method for this class of problems in the literature.

#### A heuristic algorithm for solving real-world car sequencing problems in assembly lines

Hadi Mosadegh

Amirkabir University of Technology (Tehran Polytechnic), Iran

With the emerge of novel production technologies and variant methods of car manufacturing and assembling, a variety of problems have been defined and studied in the area of mixed-model assembly systems. In this study, the problem of sequencing car bodies entering into the line aiming to balance workload of operators is studied. A mathematical programming model is proposed to minimize the amount of operators' work overload and idleness within the workstations. However, due to the complexity of the problem and since solving the model is very time consuming especially in cases with large number of workstations, a simulation-based heuristic algorithm is developed to deal with large scale problems. The problem is solved with different line configurations in terms of conveyor's speed scenarios. Numerical results show that with a proper sequence of car bodies entering into the assembly line, the company can benefit from significant improvements such as: reducing operators' idleness, reducing and balancing operators' work overload, increasing the production rate, and enhancing the overall performance of the assembly system.

### Max-min optimizations in active sensing and communication systems

Tuesday 16:00-17:00

Mohammadmahdi Naghsh IUT, Iran

Several applications demand for guaranteed worst-case performance of systems. In such circumstances, design in average sense does not make sense and the designer should resort to a robust design methodology. In this presentation, we exemplify robust design approaches in active sensing/communication systems. More precisely, exploiting maxmin design methodology, we improve worst-case performance of radar systems in the presence of targets with unknown Doppler shifts as well as coexistence of strong and weak targets in the scene. As to communication systems, the worst-case rate of the users in MIMO interference systems is taken into account as the design metric to be optimized. The discussed optimization techniques in the talk include SDR, CD, and MM.

Thursday 15:00-15:30

## OR and ML applications for Green Supply Chain Management

Tuesday 14:00-15:00

Diego Maria Pinto IASI, Italy

Circular economy is fundamental to reach green supply chain targets. It considers products, but also infrastructure, equipment and services offered by waste facilities where materials are collected and then sorted to be converted into secondary raw materials. Because circular economy imposes a new view of operations with the aim of zero waste, in order to obtain this result it is critical to optimize every step of production and logistics processes. In this talk we review how these targets can be addressed by the development and integration of operations research models to optimize both strategical and operational tasks of waste management. The stochastic nature of waste streams should be considered when modeling these scenarios in order to promote solutions that are robust to data uncertainties, like those related to waste supplies. A framework of these models is fueled by data that generate the chance of extracting additional valuable information: data analysis techniques such as machine learning can indeed recognize data patterns revealing profitable insights. Performing process cost analysis and estimation provides important outcomes to support and verify management decisions such service pricing, updating contracts of loss making customers or increasing service level in profitable locations.

#### Introduction to Combinatorial Optimization: Problems and Methods

Maryam Salami IUT, Iran Tuesday 10:30-11:45

Optimization means finding the maximum or minimum of a certain function, called the objective function, defined on some domain. Classical theories of optimization i.e., differential calculus, variational calculus and optimal control theory deal with the cases when this domain is infinite. From this angle, the subject of combinatorial optimization. Combinatorial optimization searches for an optimum object in a finite collection of objects. Typically, the collection has a concise representation (like a graph), while the number of objects is huge more precisely, grows exponentially in the size of the representation (like all matchings or all Hamiltonian circuits). So scanning all objects one by one, even for instances of very moderate size, and selecting the best one is not an option. More efficient methods should be found. In the framework of complexity theory, we want to find the optimum in polynomial time. Almost every combinatorial optimization problem has since been either proved to be polynomial-time solvable or NP-complete. In this lecture, we study some of those combinatorial optimization problems that have been proved to be solvable in polynomial time, means, belong to P. Next to polynomial-time solvability, we focus on the related polyherda and the fundamental combinatorial optimization algorithms by which these problems have been solved successfully.

#### New heuristics for ground state optimization of spin glasses

Wednesday 17:30-18:00

Esteban Salgado IASI, Italy

Max-cut is the problem of finding, in a graph, a partition of the node-set such that the sum of the weights of the edges with endpoints in both sets of the partition is maximal. This problem has a variety of applications in several domains (e.g. statistical physics, VLSI design, quantum computing) and is widely known to be NP-hard, therefore heuristics and metaheuristics have been conceived to provide fast and "good" solutions. In this context we present a general subgraph sampling based heuristic with results that are comparable to approaches ad-hoc for some particular classes of graphs.

#### Green Supply Chain Management

Tuesday 12:00-13:00

Giuseppe Stecca IASI, Italy

Climate change is the most though challenge for humanity, requiring a paradigm shift in the planning and operation of almost all the human activities. In these settings Green Supply Chain Management consider the relations between supplychain management and the green targets. This talk will survey the main operations research models used to address green supply chain problems both at strategic, tactical and operational level. Problems related to reverse logistics, product recovery, closed loop supply chain and green supply chain management are addressed. The "green" word, introduces problems related to complexities such as the integration between strategical and tactical phase, but also the problem on how to account the CO2 emission and how to consider it in a mixed integer linear program.

### Negotiation based approach for collecting and recycling operations in circular economy

Tuesday 15:00-15:30

Giuseppe Stecca IASI, Italy

Circular economy and zero waste paradigms consider that production and logistics processes must meet new levels of efficiency. In this work we address the problem of optimal planning of the collection and the recycling operations for a company operating recycling plants which process waste materials and sells "secondary" raw materials. The recycling is performed in a multi-stage process and the collection is performed via trucks. The output of the collection process is the input of the recycling planning operations. Moreover some operations are outsourced to third party operators. The problem is modeled as an optimization problem and solved with an auction based mechanism.

### Exact and heuristic approaches to the logistics of containers (I)

Paolo Ventura IASI, Italy

## Exact and heuristic approaches to the logistics of containers (II)

Thursday 12:00-13:00

Thursday 10:30-11:45

Paolo Ventura IASI, Italy

Over the past 20 years, the number of containers handled around the world has more than doubled and approximately 170 million TEU were transported only in 2020. In order to manage the associated logistic operations, the ports contain special areas, called terminals, that act as storage and inter-modal exchange buffers for the containers that travel by ships, trains or trucks. For limited capacity reasons, in such terminals the containers are generally stacked one on top of the other and moved from one stack to the other by cranes (usually, gantry cranes on wheels). Each crane is able to move around the terminal and place / pick up a single container from / on top of a stack. Each of these operations has a non-negligible operating cost. When a certain container is retrieved from the terminal, all the containers that are placed above it must be moved to some other stacks of the terminal. Such moves are also called reshuffles. An efficient management of these relocation operations is essential for the overall operational efficiency of the terminal. The problem of defining container relocation strategies that minimize the total number of reshuffles is known in the literature as the Container (or Block) Relocation Problem (CRP). Given the importance of its practical applications, the CRP, in its different variants, has been the subject of numerous scientific publications, especially in the last decade. Dozens of mathematical models and algorithms have been proposed. In fact, this growing attention of the scientific community corresponds to an insistent request of the logistics operators for tools and methods that can support their decisions. Here we will give an overview of different variants of the problem as well as on the solution approaches that have been proposed in the literature.

# Author Index

Ahmad Abdi, 9 Ahmadreza Marandi, 13 Claudio Gentile , 11 Diego Maria Pinto, 15 Esteban Salgado, 16 Giuseppe Stecca, 17 Hadi Mosadegh, 14 Maryam Salami, 16 Mohammadmahdi Naghsh, 14

Nezam Mahdavi Amiri, 12

Paolo Ventura , 18

Tiziano Bacci, 10



#### Ahmad Abdi

London School of Economics, **United Kingdom** 



### Nezam Mahdavi-Amiri

Sharif University of Technology, Iran



#### **Claudio Gentile**

Institute of System Analysis and Computer science(IASI), CNR, Italy



#### Hadi Mosadegh

Amirkabir University of Technology, (Tehran Polytechnic), Iran



#### **Paolo Ventura**

Institute of System Analysis and Computer science(IASI), CNR, Italy



#### Mohammad Mahdi Naghsh

Isfahan University of Technology, Iran



#### **Giuseppe Stecca**

Institute of System Analysis and Computer science(IASI), CNR, Italy



#### **Diego Maria Pinto**

Institute of System Analysis and Computer science(IASI), CNR, Italy



Maryam Salami

Isfahan University of Technology, Iran



#### **Esteban Salgado**

Institute of System Analysis and Computer science(IASI), CNR, Italy



#### Ahmadreza Marandi

Eindhoven University of Technology, Netherlands